	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L2	347	(classpath or class-path or (class adj path) or (class adj directory))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/03/10 12:58
2	BRS	L3	92	2 and search$5 near6 class	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/03/10 13:03
3	BRS	L4	23	3 and search$5 near6 cach$4	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/03/10 13:17
4	BRS	L5	77	2 and search$5 near3 class	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/03/10 13:05
5	BRS	L6	17	5 and search$5 near3 cach$4	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/03/10 13:04

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L7	43	2 and search$5 near class	USPAT; US-PG PUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/10 13:09
7	BRS	L8	609	search$5 near class	USPAT; US-PG PUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/10 13:09
8	BRS	L9	0	8 and class adj locator	USPAT; US-PG PUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/10 13:10
9	BRS	L10	10	class adj locator	USPAT; US-PG PUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/10 13:10
10	BRS	L11	3	2 and 10	USPAT; US-PG PUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/10 13:10

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L12	10	class adj locator	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/03/10 13:11
12	BRS	L13	0	2 and findclass and enumclass	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/03/10 13:12
13	BRS	L14	13	2 and (find-class or enum-class or (find adj class) or (enum adj class))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/03/10 13:13
14	BRS	L15	53	3 and cach$4	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/03/10 13:18
15	BRS	L16	53	3 and cach$4 and search$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/03/10 13:18

	Type	L #	Hits	Search Text	DBs	Time Stamp
16	BRS	L17	27	3 and cach$4 same search$5	USPAT; US-PG PUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/10 13:18